

## **INFUSION & MEDICAL CENTER**

	Patient Name	DOB	Patient Phone/Cell	#
	Patient dem	nographic and insurance information to be faxed with I	nfusion Order Form	
2.	<b>Medical Information</b>	(Please select primary diagnosis and complete ICD	10 Code):	
	Primary Diagnosis:Atypical Hemolytic Uremic Syndrome (aHUS)		ICD-10 Code: D59.3	
		Myasthenia Gravis (MG)	ICD-10 Code: G70.	
		Neuromyelitis Optica Spectrum Disorders (NMOSE		
		Paroxysmal nocturnal hemoglobinuria (PNH)	ICD-10 Code: D59.	
		Other:	ICD-10 Code:	
	Allergies:		(or a	attach list)
3.	Clinical Information	- Please fax with Infusion Order Form:		
		labs, test supporting primary diagnosis	Patient	
	<del>_</del>	test results if appropriate for diagnosis (e.g. NMOSD or MG)	Weight:	lbs.
		e appropriate meningococcal vaccines Yes No	Height:	in.
	Prescriber is enroller	ed in Soliris REM Program 🔲 Yes 🔲 No		
	Lab Orders:			
		SOLIRIS® (eculizumab)	J Cod	e: J1300
4.	Drug Order:			
	<ul> <li>PNH</li> <li>Initial Dose Infuse 600 mg IV weekly for 4 weeks, followed by 900 mg IV the following week and then 900 mg IV every 2 weeks thereafter</li> <li>Maintenance Dose Infuse 900 mg IV every two weeks</li> </ul>			
	900 mg IV ever	y 2 weeks thereafter	the following week a	nd then
	900 mg IV ever	y 2 weeks thereafter <b>Dose</b> Infuse 900 mg IV every two weeks	the following week a # Refills (Recon	
	900 mg IV ever  Maintenance  aHUS, gMG, NMC  Initial Dose	y 2 weeks thereafter <b>Dose</b> Infuse 900 mg IV every two weeks <b>DSD</b> Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV	# Refills (Recon	nmend 15)
	900 mg IV ever  Maintenance  aHUS, gMG, NMO Initial Dose I then 1200 mg I	y 2 weeks thereafter <b>Dose</b> Infuse 900 mg IV every two weeks <b>OSD</b> Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV every 2 weeks thereafter	# Refills (Recon	nmend 15)
	900 mg IV ever  Maintenance  aHUS, gMG, NMO Initial Dose I then 1200 mg I	y 2 weeks thereafter <b>Dose</b> Infuse 900 mg IV every two weeks <b>DSD</b> Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV	# Refills (Recon	nmend 15)
	900 mg IV ever  Maintenance  aHUS, gMG, NMC  Initial Dose I then 1200 mg I  Maintenance	y 2 weeks thereafter <b>Dose</b> Infuse 900 mg IV every two weeks <b>OSD</b> Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV every 2 weeks thereafter	# Refills (Recon V the following week	nmend 15) and
	900 mg IV ever  Maintenance  aHUS, gMG, NMC  Initial Dose I then 1200 mg I Maintenance  Pre-Medication Orders	y 2 weeks thereafter  Dose Infuse 900 mg IV every two weeks  DSD  Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV every 2 weeks thereafter  Dose Infuse 1200 mg IV every 2 weeks	# Refills (Recon V the following week	nmend 15) and
	900 mg IV ever  Maintenance  aHUS, gMG, NMO Initial Dose I then 1200 mg I Maintenance  Pre-Medication Orders Other:	y 2 weeks thereafter  Dose Infuse 900 mg IV every two weeks  OSD  Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV every 2 weeks thereafter  Dose Infuse 1200 mg IV every 2 weeks  Acetaminophen 650 mg PO administered 30 min prior to in	# Refills (Recon V the following week Ifusion *adjust to patio	nmend 15) and ent's needs
	900 mg IV ever  Maintenance  aHUS, gMG, NMC  Initial Dose I then 1200 mg I Maintenance  Pre-Medication Orders Other:  Adverse Drug Reaction  By sign	y 2 weeks thereafter  Dose Infuse 900 mg IV every two weeks  OSD  Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV every 2 weeks thereafter  Dose Infuse 1200 mg IV every 2 weeks  Acetaminophen 650 mg PO administered 30 min prior to in	# Refills (Recom V the following week If usion *adjust to patie er approved ADR Proto Intramed Plus	nmend 15) and ent's needs
5.	900 mg IV ever  Maintenance  aHUS, gMG, NMG  Initial Dose I then 1200 mg I Maintenance  Pre-Medication Orders  Other:  By sign to serve as	y 2 weeks thereafter  Dose Infuse 900 mg IV every two weeks  OSD  Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV every 2 weeks thereafter  Dose Infuse 1200 mg IV every 2 weeks  Acetaminophen 650 mg PO administered 30 min prior to in  Protocol: Manage any adverse reaction that may occur pening this form and utilizing these services, I am authorizing my prior authorization agent with medical and pharmacy in	# Refills (Recom V the following week of the following week of the following week of the following week were approved ADR Protocol of the following weeks of the	nmend 15) and ent's needs  ocol.
5.	900 mg IV ever  Maintenance  aHUS, gMG, NMG  Initial Dose I then 1200 mg I Maintenance  Pre-Medication Orders  Other:  By sign to serve as	y 2 weeks thereafter  Dose Infuse 900 mg IV every two weeks  OSD  Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV every 2 weeks thereafter  Dose Infuse 1200 mg IV every 2 weeks  Acetaminophen 650 mg PO administered 30 min prior to in  Protocol: Manage any adverse reaction that may occur pening this form and utilizing these services, I am authorizing	# Refills (Recond V the following week of the following with the following the following with the following week of the following week o	nmend 15) and ent's needs  ocol.
5.	900 mg IV ever  Maintenance  aHUS, gMG, NMG  Initial Dose I then 1200 mg I Maintenance  Pre-Medication Orders  Other:  By sign to serve as  Physician Signature:	y 2 weeks thereafter  Dose Infuse 900 mg IV every two weeks  OSD  Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV every 2 weeks thereafter  Dose Infuse 1200 mg IV every 2 weeks  Acetaminophen 650 mg PO administered 30 min prior to in  Protocol: Manage any adverse reaction that may occur pening this form and utilizing these services, I am authorizing my prior authorization agent with medical and pharmacy in  Dispense as written  Substitution permitter	# Refills (Recom V the following week  If usion *adjust to patie er approved ADR Prote Intramed Plus Insurance providers. Date:	nmend 15) and ent's needs  ocol.
5.	900 mg IV ever  Maintenance  aHUS, gMG, NMG  Initial Dose I then 1200 mg I Maintenance  Pre-Medication Orders Other:  By sign to serve as  Physician Signature:  Printed Physician's Name	y 2 weeks thereafter  Dose Infuse 900 mg IV every two weeks  OSD  Infuse 900 mg IV weekly for 4 weeks, followed by 1200 mg IV every 2 weeks thereafter  Dose Infuse 1200 mg IV every 2 weeks  Acetaminophen 650 mg PO administered 30 min prior to in  Protocol: Manage any adverse reaction that may occur pening this form and utilizing these services, I am authorizing my prior authorization agent with medical and pharmacy in  Dispense as written  Substitution permitted.	# Refills (Recom V the following week  If usion *adjust to patie er approved ADR Prote Intramed Plus Insurance providers. Date:	nmend 15) and ent's needs  ocol.

**CENTRAL INTAKE PHONE 803.999.1760**