

**INFUSION & MEDICAL CENTER**

**1. Patient Name** \_\_\_\_\_ **DOB** \_\_\_\_\_ **Patient Phone/Cell #** \_\_\_\_\_

**Patient demographic and insurance information to be faxed with Infusion Order Form**

**2. Medical Information (Please select primary diagnosis and complete ICD-10 Code):**

Primary Diagnosis: \_\_\_\_\_ Granulomatosis with Polyangiitis (GPA) ICD-10 Code: M31.30 \_\_\_\_\_  
 \_\_\_\_\_ Microscopic Polyangiitis (MPA) ICD-10 Code: M31.7 \_\_\_\_\_  
 \_\_\_\_\_ Other: ICD-10 Code: \_\_\_\_\_

Allergies: \_\_\_\_\_ (or attach list)

**3. Clinical Information — Please fax with Infusion Order Form:**

<b>Patient</b>
<b>Weight:</b> _____ lbs.
<b>Height</b> _____ in.

- Clinical MD Notes, labs, test supporting primary diagnosis
  - Pre-Screening results for Hepatitis B Panel
  - Previous Drug Therapy History, including therapies trialed and or failed and date of last infusion:
    - Previous biologic therapies: \_\_\_\_\_ Date: \_\_\_\_\_
    - Washout period of \_\_\_\_\_ weeks desired prior to the initiation of this ordered therapy
  - Infusion Center – Lab Orders (Check for Infusion Center to Manage):
    - Obtain CBC with diff and platelets every \_\_\_\_\_
  - Current Medication List: \_\_\_\_\_
- Corticosteroid Regimen: Has patient started on a steroid regimen prior to receiving Rituxan?  Yes  No

**RITUXAN® (rituximab)**

J Code: J9312

**4. Drug Order: Administer Rituxan IV as per the below parameters:**

**Induction Dose:**  375 mg/m<sup>2</sup> once weekly x 4 weeks or  Other: \_\_\_\_\_  
 **Maintenance Dose:**  1,000 mg on Day 0 & 14 every \_\_\_\_\_ or  Other: \_\_\_\_\_

**Pre-Medication Orders:** Administer Acetaminophen 650 mg PO; Diphenhydramine 50 mg PO orally 30 minutes prior to infusion and adjust to patient's needs PLUS

Induction Steroid Therapy: Methylprednisolone 1000 mg IV Daily x 3 doses prior to Rituxan therapy OR  
 If oral (i.e. PO) induction therapy is completed, Methylprednisolone 100 mg IV 30 minutes prior to each infusion

**Adverse Drug Reaction Protocol:** Manage any adverse reaction that may occur per approved ADR Protocol.

By signing this form and utilizing our services, I am authorizing Intramed Plus to serve as my prior authorization agent with medical and pharmacy insurance providers.

**5. Physician Signature:** \_\_\_\_\_ / \_\_\_\_\_ Date: \_\_\_\_\_

Dispense as written

Substitution permitted

Printed Physician's Name with Credentials: \_\_\_\_\_ Phone #: \_\_\_\_\_

<p><b>FAX ALL INFORMATION</b>  <b>CENTRAL FAX 803.999.1754</b></p>	<p><b>INFUSION CENTER LOCATIONS</b>  <b>BERKELEY CHARLESTON COLUMBIA GREENVILLE</b>  <b>CENTRAL INTAKE PHONE 803.999.1760</b></p>
--	---